

## opencart全部商品自动伪静态

将以下代码另存为xml文件，放入vqmod的xml目录下即可

```
<modification> <id><![CDATA[Full product url]]></id>
<version><![CDATA[1.0]]></version> <vqmvver><![CDATA[2.3.x]]></vqmvver>
<author><![CDATA[Buksas]]></author> <file name="catalog/controller/product/product.php">
<operation error="log"> <search position="after"><![CDATA[public function index() {}]]></search>
<add><![CDATA[if (isset($this->request->get['path'])) {}]]></add> </operation> <operation error="log">
<search position="before"><![CDATA[$this->data['products']] = array();></search>
<add><![CDATA[$get_categories = $this->model_catalog_product->getCategories($product_id);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log">
<search position="before"><![CDATA[public function review() {}]]></search> <add><![CDATA[else {
$product_id = $this->request->get['product_id']; $this->load->model('catalog/category');
$this->load->model('catalog/product');
$get_categories = $this->model_catalog_product->getCategories($product_id); foreach ($get_categories as $cat) {
$cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }
$this->redirect($this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product_id)); } ]]]></add>
</operation> <operation error="log"> <search position="replace"><![CDATA[$this->url->link('product/product', '
product_id=' . $result['product_id'])]]></search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_
url . '&product_id=' . $result['product_id'])]]></add> </operation> </file>
<file name="catalog/controller/product/compare.php"> <operation error="log">
<search position="before"><![CDATA[$this->data['products'][$product_id]]></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($product_id); foreach ($get_categories as $cat) {
$cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log">
<search position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $product_id)]]></search>
<add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product_id)]]></add>
</operation> </file> <file name="catalog/controller/product/search.php"> <operation error="log">
<search position="before"><![CDATA[$this->data['products']]></search>
<add><![CDATA[$get_categories = $this->model_catalog_product->getCategories($result['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $result['product_id'] . $url)
]]></search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $result['produ
ct_id'])]]></add> </operation> </file> <file name="catalog/controller/product/special.php">
<operation error="log"> <search position="before"><![CDATA[$this->data['products']] = array();></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($result['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $result['product_id'] . $url)
]]></search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $result['produc
t_id'])]]></add> </operation> </file> <file name="catalog/controller/module/latest.php">
<operation error="log"> <search position="before"><![CDATA[$this->data['products']] = array();></search>
<add><![CDATA[$get_categories = $this->model_catalog_product->getCategories($result['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
```

```
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $result['product_id'])]]></s
earch> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $result['product_id'])
]]></add> </operation> </file> <file name="catalog/controller/module/special.php"> <operation error="log">
<search position="before"><![CDATA[$this->data['products']] = array([])></search>
<add><![CDATA[$get_categories = $this->model_catalog_product->getCategories($result['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $result['product_id'])]]></s
earch> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $result['product_id'])
]]></add> </operation> </file> <file name="catalog/controller/module/featured.php"> <operation error="log">
<search position="before"><![CDATA[$this->data['products']] = array([])></search>
<add><![CDATA[$get_categories = $this->model_catalog_product->getCategories($product_info['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $product_info['product_id']
)]]></search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product_info
['product_id'])]]></add> </operation> </file> <file name="catalog/controller/account/wishlist.php">
<operation error="log"> <search position="before"><![CDATA[$this->data['products']] = array([])></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($product_info['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $product_info['product_id']
)]]></search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product_info
['product_id'])]]></add> </operation> </file> <file name="catalog/controller/checkout/cart.php">
<operation error="log"> <search position="before"><![CDATA[$this->data['products']] = array([])></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($product['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $product['product_id'])]]><
/search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product['product
_id'])]]></add> </operation> </file> <file name="catalog/controller/checkout/cart.php"> <operation error="log">
<search position="before"><![CDATA[$this->data['products']] = array([])></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($product['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $product['product_id'])]]><
/search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product['product
_id'])]]></add> </operation> </file> <file name="catalog/controller/checkout/confirm.php">
<operation error="log"> <search position="before"><![CDATA[$this->data['products']] = array([])></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($product['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "_" . $full_url; else break; }]]></add> </operation> <operation error="log"> <s
earch position="replace"><![CDATA[$this->url->link('product/product', 'product_id=' . $product['product_id'])]]><
/search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $product['product
_id'])]]></add> </operation> </file> <file name="catalog/controller/product/manufacture.php">
```

```
<operation error="log"> <search position="before"><![CDATA[$this->data['products']] = array()></search>
<add><![CDATA[$this->load->model('catalog/product'); $this->load->model('catalog/category');
$get_categories = $this->model_catalog_product->getCategories($result['product_id']);
foreach ($get_categories as $cat) { $cat_id = $cat['category_id']; break; } $full_url = $cat_id; while($cat_id) {
$parent = $this->model_catalog_category->getCategory($cat_id); $cat_id = $parent['parent_id'];
if ( $cat_id != 0 ) $full_url = $cat_id . "-" . $full_url; else break; }]></add> </operation> <search position="replace"><![CDATA[$this->url->link('product/product', '&manufacturer_id=' . $result['manufacturer_id'] . '&product_id=' . $result['product_id'] . $url)]]></search> <add><![CDATA[$this->url->link('product/product', 'path=' . $full_url . '&product_id=' . $result['product_id'])]]></add> </operation> </file> </modification>
```

悠久防伪一直专注于防伪溯源解决方案。  
本文地址: <https://www.fwxt.cn/cn/study-e8.html>